

# TIANLI

Kehtib alates

<b>IMPLEMENT</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
500/50R17 IMP	FR		145D	TL	303	364
500/50R17	R305		157A8/146D	TL	312	374
500/60R22.5 IMP	FR		155D	TL	473	568
560/60R22.5 IMP	FR		161D	TL	539	647
600/50R22.5 IMP	FR		159D	TL	592	710
560/45R22.5 IMP	FR		163A8/152D	TL	471	565
710/45R22.5 IMP	FR		165D	TL	704	845
600/55R26.5 IMP	FR		165D/176A8	TL	740	888
710/50R26.5 IMP	FR		170D	TL	903	1083
560/60R22.5 IMP	AGRO GRIP		161D	TL	634	761
600/55R22.5IMP	AGRO GRIP		162D	TL	760	912
650/50R22.5 IMP	AGRO GRIP		163D	TL	796	955
620/55R26.5 IMP	AGRO GRIP		166D	TL	906	1087
650/55R26.5 IMP	AGRO GRIP		169D	TL	963	1156
750/45R26.5 IMP	AGRO GRIP		170D	TL	1060	1272
420/55R17 IMP	R100		134D	TL	277	333
<b>INDUSTRIAL</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
340/80R18(12.5/80R18) IND	BRS		143A8/143B	TL	337	404
440/80R24(16.9R24)	BRS		161A8/161B	TL	620	744
460/70R24(17.5LR24)	BRS		159A8/159B	TL	615	737
500/70R24(19.5LR24)	BRS		164A8/164B	TL	668	802
<b>85 SERIAL AG RADIAL</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
380/90R46(14.9R46)	AG-R	R-1W	149A8/146B	TL	903	1083
420/90R30(16.9R30)	AG-R	R-1W	142A8/139B	TL	553	663
420/90R30(16.9R30)	AG-R	R-1W	147A8/144B	TL	580	696
280/85R24(11.2R24)	AG-R	R-1W	115A8/112B	TL	214	257
320/85R24(12.4R24)	AG-R	R-1W	122A8/119B	TL	269	322
340/85R24(13.6R24)	AG-R	R-1W	125A8/122B	TL	299	359
380/85R24(14.9R24)	AG-R	R-1W	131A8/128B	TL	361	434
420/85R24(16.9R24)	AG-R	R-1W	137A8/134B	TL	448	538
280/85R28(11.2R28)	AG-R	R-1W	118A8/115B	TL	243	292
320/85R28(12.4R28)	AG-R	R-1W	124A8/121B	TL	299	359
340/85R28(13.6R28)	AG-R	R-1W	127A8/124B	TL	343	412
380/85R28(14.9R28)	AG-R	R-1W	133A8/130B	TL	428	514
420/85R28(16.9R28)	AG-R	R-1W	139A8/136B	TL	526	631
380/85R30(14.9R30)	AG-R	R-1W	135A8/132B	TL	445	533
420/85R30(16.9R30)	AG-R	R-1W	140A8/137B	TL	566	679
460/85R30(18.4R30)	AG-R	R-1W	145A8/142B	TL	610	732
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
380/85R34(14.9R34)	AG-R	R-1W	137A8/137B	TL	587	705
420/85R34(16.9R34)	AG-R	R-1W	142A8/139B	TL	614	736

460/85R34(18.4R34)	AG-R	R-1W	147A8/144B	TL	712	855
460/85R34(18.4R34)	AG-R	R-1W	157A8/154B	TL	717	860
420/85R38(16.9R38)	AG-R	R-1W	144A8/141B	TL	649	779
460/85R38;480/80R38(18.4R38)	AG-R	R-1W	149A8/146B	TL	767	920
520/85R38(20.8R38)	AG-R	R-1W	155A8/152B	TL	980	1176
460/85R42;480/80R42(18.4R42)	AG-R	R-1W	150A8/147B	TL	911	1093
520/85R42(20.8R42)	AG-R	R-1W	157A8/154B	TL	1051	1262
520/85R42(20.8R42)	AG-R	R-1W	162A8/159B	TL	1112	1334
480/80R46(18.4R46)	AG-R	R-1W	158A8/155B	TL	1045	1254
520/85R46(20.8R46)	AG-R	R-1W	158A8/155B	TL	1222	1467
<b>70 SERIAL AG RADIAL</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
620/75R26(23.1R26)	AG-R	R-1W	166A8/163B	TL	1047	1257
360/70R24	AG-R	R-1W	122A8/119B	TL	354	425
380/70R24	AG-R	R-1W	125A8/122B	TL	338	406
420/70R24	AG-R	R-1W	130A8/127B	TL	404	485
380/70R28	AG-R	R-1W	127A8/124B	TL	381	457
420/70R28	AG-R	R-1W	133A8/130B	TL	461	553
480/70R28	AG-R	R-1W	140A8/137B	TL	566	679
480/70R30	AG-R	R-1W	141A8/138B	TL	597	716
480/70R34	AG-R	R-1W	143A8/140B	TL	677	812
520/70R34	AG-R	R-1W	148A8/145B	TL	807	968
520/70R38	AG-R	R-1W	150A8/147B	TL	891	1069
580/70R38	AG-R	R-1W	155A8/152B	TL	1125	1350
580/70R38	AG-R	R-1W	170A8/167B	TL	1239	1487
620/70R42	AG-R	R-1W	160A8/157B	TL	1337	1604
710/70R38	AG-R	R-1W	166A8/163B	TL	1767	2121
710/70R42	AG-R	R-1W	173A8/170B	TL	1988	2386
<b>65 SERIAL AG RADIAL</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
440/65R24	AG-R	R-1W	128A8/125B	TL	409	491
480/65R24	AG-R	R-1W	133A8/130B	TL	466	559
540/65R24	AG-R	R-1W	140A8/137B	TL	589	707
750/65R26	AG-R	R-1	158A8/155B	TL	1256	1508
750/65R26	AG-R	R-1	166A8/163B	TL	1324	1589
440/65R28	AG-R	R-1W	131A8/128B	TL	437	524
480/65R28	AG-R	R-1W	136A8/133B	TL	501	601
540/65R28	AG-R	R-1W	142A8/139B	TL	700	839
600/65R28	AG-R	R-1W	147A8/144B	TL	858	1029
540/65R30	AG-R	R-1W	143A8/140B	TL	780	936
540/65R34	AG-R	R-1W	145A8/142B	TL	801	961
600/65R34	AG-R	R-1W	151A8/148B	TL	1080	1295
540/65R38	AG-R	R-1W	147A8/144B	TL	915	1099
600/65R38	AG-R	R-1W	153A8/150B	TL	1142	1371
650/65R38	AG-R	R-1W	157A8/154B	TL	1221	1466
650/65R42	AG-R	R-1W	158A8/155B	TL	1561	1873
800/65R32	AG-R	R-1W	172A8/169B	TL	1906	2287

<b>AG BIAS</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
500/60-22.5-12	FI-1	I3		TL	421	505
500/60-22.5-16	FI-1	I3		TL	454	545
550/60-22.5-16	FI-1	I3		TL	511	613
600/50-22.5-16	FI-1	I3		TL	558	669
700/40-22.5-16	FI-1	I3		TL	660	792
400/60-15.5-14	FI	I3		TL	190	227
500/60-22.5-12	FI	I3		TL	448	538
500/60-22.5-16	FI	I3		TL	478	573
550/60-22.5-12	FI	I3		TL	554	665
550/60-22.5-16	FI	I3		TL	575	690
560/45-22.5-16	FI	I3		TL	426	511
600/50-22.5-12	FI	I3		TL	564	676
600/50-22.5-16	FI	I3		TL	588	706
600/55-22.5-16	FI	I3		TL	632	759
700/40-22.5-16	FI	I3		TL	701	842
700/50-22.5-16	FI	I3		TL	728	874
600/55-26.5-16	FI	I3		TL	748	898
700/50-26.5-16	FI	I3		TL	840	1008
800/45-26.5-16	FI	I3		TL	934	1121
650/60-30.5-16	FI	I3		TL	1178	1414
750/60-30.5-16	FI	I3		TL	1267	1521
850/50-30.5-16	FI	I3		TL	1408	1689
500/60-22.5-16	FT-A	I3		TL	542	651
48X25.00-20-12	TFP	HF-2		TL	1008	1210
48X31.00-20-12	TFP	HF-2		TL	1161	1393
48X25.00-20-12	TF	HF-3		TL	990	1188
48X25.00-20-16	TF	HF-3		TL	1275	1530
48X31.00-20-12	TF	HF-3		TL	1180	1416
48X31.00-20-16	TF	HF-3		TL	1528	1834
66X43.00-25-12	TF	HF-3		TL	2703	3244
66X43.00-25-16	TF	HF-3		TL	2819	3382
66X43.00-26-16	TF	HF-3		TL	2798	3358
66X44.00-25-20	SOFT R.	10mm		TL	2280	2736
VA73X44.00-32-12	TF	HF-3		TL	4362	5235
VA73X44.00-32-16	TF	HF-3		TL	4531	5437
66x43.00-25-20	TK	HF-2		TL	3103	3724
<b>FORESTRY TYRE</b>						
<b>Rehvi mõõt</b>	<b>Muster</b>	<b>TRA</b>	<b>Koormus/ kiirus</b>	<b>TL/ TT</b>	<b>Hind km-ta</b>	<b>Hind km-ga</b>
23.1-26-16	SL	LS2		TT	1428	1714
28L-26-16	SL	LS2		TT	1790	2148
28L-26-20	SL	LS2		TT	1880	2256
30.5L-32-20	SL	LS2		TT	2663	3196
30.5L-32-20	SL	LS2		TL	2700	3241
DH35.5L-32-20	SL	LS2		TT	3429	4115
DH35.5L-32-20	SL	LS2		TL	3474	4169
23.1-26-16	SL(ST)	LS2		TT	1520	1824
23.1-34-16	SL(ST)	LS2		TT	1629	1954

24.5-32-16	SL(ST)	LS2		TT	1926	2311
24.5-32-20	SL(ST)	LS2		TT	2089	2507
28L-26-16	SL(ST)	LS2		TT	1964	2356
28L-26-20	SL(ST)	LS2		TT	2026	2431
30.5L-32-20	SL(ST)	LS2		TT	3007	3609
DH35.5L-32-20	SL(ST)	LS2		TT	3681	4417
16.9-30-14	TL	LS1		TT	619	743
16.9-30-16	TL	LS1		TT	700	840
18.4-34-14	TL	LS1		TL	916	1100
18.4-34-14	TL	LS1		TT	852	1022
18.4-34-16	TL	LS1		TL	880	1056
16.9-30-16	SEWP	LS2		TT	802	963
18.4-26-16	SEWP	LS2		TT	802	963
18.4-30-14	SEWP	LS2		TL	898	1078
18.4-30-16	SEWP	LS2		TT	932	1119
18.4-30-16	SEWP	LS2		TL	947	1136
18.4-34-16	SEWP	LS2		TT	1164	1396
18.4-34-16	SEWP	LS2		TL	1224	1469
18.4-38-16	SEWP	LS1		TT	1089	1307
18.4-38-16	SEWP	LS1		TL	1150	1380
20.8-38-16	SEWP	LS2		TT	1265	1518
23.1-26-16	SEWP	LS2		TT	1444	1733
23.1-26-16	SEWP	LS2		TL	1493	1791
24.5-32-16	SEWP	LS2		TT	1871	2245
24.5-32-16	SEWP	LS2		TL	1898	2278
30.5L-32-16	SEWP	LS2		TL	2528	3033
30.5L-32-20	SEWP	LS2		TL	2679	3215
28L-26-16	SL-1	LS2		TT	1818	2182
28L-26-16	SL-1	LS2		TL	1857	2229
28L-26-16	SL-1(ST)	LS2		TT	2014	2416
28L-26-16	SL-1(ST)	LS2		TL	2097	2516
28L-26-20	SL-1(ST)	LS2		TT	1980	2376
28L-26-20	SL-1(ST)	LS2		TL	2053	2463
16.9-30-16	SEWP(ST)	LS2		TT	867	1040
18.4-26-16	SEWP(ST)	LS2		TT	835	1002
18.4-30-16	SEWP(ST)	LS2		TT	986	1183
18.4-34-16	SEWP(ST)	LS2		TT	1180	1416
18.4-38-16	SEWP(ST)	LS2		TT	1182	1419
23.1-26-16	SEWP(ST)	LS2		TT	1601	1922
23.1-26-16	SEWP(ST)	LS2		TL	1640	1968
24.5-32-16	SEWP(ST)	LS2		TT	1983	2380
24.5-32-16	SEWP(ST)	LS2		TL	2037	2445
24.5-32-20	SEWP(ST)	LS2		TT	2060	2472
30.5L-32-16	SEWP(ST)	LS2		TT	2723	3268
30.5L-32-16	SEWP(ST)	LS2		TL	2779	3334
30.5L-32-20	SEWP(ST)	LS2		TT	2802	3362
30.5L-32-20	SEWP(ST)	LS2		TL	2856	3427
22/65-25-16	FF(ST)	HF-2		TT	1153	1384

22/65-25-16	FF(ST)	HF-2		TL	1237	1484
500/60-22.5-16	FF(ST)	HF-2		TL	876	1051
500/60-22.5-16	FF(ST)	HF-2		TT	819	983
600/50-22.5-16	FF(ST)	HF-2		TL	924	1109
600/50-22.5-16	FF(ST)	HF-2		TT	880	1056
700/45-22.5-16	FF(ST)	HF-2		TL	1150	1380
700/45-22.5-16	FF(ST)	HF-2		TT	1094	1313
600/55-26.5-16	FF(ST)	HF-2		TL	1306	1568
600/55-26.5-20	FF(ST)	HF-2		TL	1337	1604
600/55-26.5-20	FF(ST)	HF-2		TT	1244	1492
650/65-26.5-20	FF(ST)	HF-2		TL	1547	1856
650/65-26.5-20	FF(ST)	HF-2		TT	1466	1760
700/50-26.5-16	FF(ST)	HF-2		TL	1437	1725
700/50-26.5-20	FF(ST)	HF-2		TL	1468	1762
700/50-26.5-20	FF(ST)	HF-2		TT	1369	1642
750/55-26.5-16	FF(ST)	HF-2		TL	1671	2005
750/55-26.5-16	FF(ST)	HF-2		TT	1565	1878
750/55-26.5-20	FF(ST)	HF-2		TL	1764	2117
750/55-26.5-20	FF(ST)	HF-2		TT	1670	2004
710/45-26.5-20	FF X1(ST)	HF-2		TT	1346	1616
750/55-26.5-20	FF X1(ST)	HF-2		TT	1640	1968
800/40-26.5-16	FF(ST)	HF-2		TL	1576	1891
800/40-26.5-20	FF(ST)	HF-2		TL	1633	1959
800/40-26.5-20	FF(ST)	HF-2		TT	1575	1890
600/60-30.5-16	FF(ST)	HF-2		TL	1357	1628
600/60-30.5-16	FF(ST)	HF-2		TT	1261	1514
600/60-30.5-20	FF(ST)	HF-2		TL	1519	1823
600/60-30.5-20	FF(ST)	HF-2		TT	1437	1725
700/50-30.5-16	FF(ST)	HF-2		TL	1556	1868
700/50-30.5-20	FF(ST)	HF-2		TL	1727	2073
700/50-30.5-20	FF(ST)	HF-2		TT	1645	1974
800/45-30.5-16	FF(ST)	HF-2		TL	1752	2102
800/45-30.5-20	FF(ST)	HF-2		TL	1802	2162
800/45-30.5-20	FF(ST)	HF-2		TT	1739	2087
600/65-34-16	LSMG-T	LS-2		TL	1783	2140
600/65-34-16	LSMG-T	LS-2		TT	1635	1962
600/65-34-20	LSMG-T	LS-2		TL	1805	2165
700/55-34-16	LSMG-T	LS-2		TL	1986	2384
700/55-34-16	LSMG-T	LS-2		TT	1826	2191
700/55-34-20	LSMG-T	LS-2		TL	1958	2350
23.1-34-16	SL(ST)	LS-2		TT	1897	2277
700/70-34-16	SL(ST)	LS-2		TT	2468	2961
750/55-26.5-20	LSMG-N	LS-2		TL	1958	2349
750/55-26.5-20	LSMG-N	LS-2		TT	1896	2276
600/50-22.5-16	FG(ST)	LS-2		TL	1110	1332
600/50-22.5-16	FG(ST)	LS-2		TT	1040	1248
600/50-22.5-20	FG(ST)	LS-2		TT	1096	1315
700/45-22.5-16	FG(ST)	LS-2		TL	1246	1495

700/45-22.5-16	FG(ST)	LS-2		TT	1153	1384
700/45-22.5-20	FG(ST)	LS-2		TL	1339	1607
700/45-22.5-20	FG(ST)	LS-2		TT	1269	1523
600/55-26.5-16	FG(ST)	LS-2		TL	1594	1913
600/55-26.5-20	FG(ST)	LS-2		TL	1650	1980
600/55-26.5-20	FG(ST)	LS-2		TT	1587	1904
700/50-26.5-16	FG(ST)	LS-2		TL	1701	2041
700/50-26.5-20	FG(ST)	LS-2		TL	1811	2174
700/50-26.5-20	FG(ST)	LS-2		TT	1709	2050
800/40-26.5-20	FG(ST)	LS-2		TL	1968	2361
800/40-26.5-20	FG(ST)	LS-2		TT	1909	2291
23.1-26-16	FG(ST)	LS-2		TT	1676	2011
23.1-26-16	FG(ST)	LS-2		TL	1714	2057
28L-26-20	FG(ST)	LS-2		TT	2060	2471
28L-26-20	FG(ST)	LS-2		TL	2133	2559
30.5L-32-20	FG(ST)	LS-2		TT	2920	3504
30.5L-32-20	FG(ST)	LS-2		TL	2978	3574